

The Future of Fume Extraction



FEATURES

- Clear & informative graphic display
- Highest grade HEPA and carbon technology
- · Automatic electronic flow control maintains a constant extraction rate even as the filter blocks
- Gas and particle sensors to warn the operator
- Adjustable airflow

SPECIFICATIONS

Voltage	120v	230v
Volume Part Number	080752D	080751D
Vacuum Part Number	080754D	080753D
Wattage	2.4kW	2.4kW
Frequency	50Hz / 60Hz	50Hz / 60Hz
Cabinet Height	740mm	740mm
Cabinet Width	571mm	571mm
Cabinet Depth	675mm	675mm
Cabinet Weight	78kg	78kg
Sound Level	60dBa	60dBa
Airflow	800m3/h	800m3/h

Find out more:



www.purex.co.uk



purex@purex.co.uk



+44 (0)1405 746030

INCLUDED AS STANDARD...

FILTERS



Main Filter Code 113652

Description HEPA/Chemical



Pre-filter Code 200080

Description F5 Pad


Connection kits are available see overleaf for options


OPTIONS

Main Filter


Code:	Description:	
113660	HEPA/Twin Chemical	
113658	HEPA/Chemical (Cleanroom)	
113667	Solvent Lock	
113651	Chemical	
113650	HEPA	


Connection Kits






Purex Inlet








If you do not see a connection kit that fits your machine or pipework, please contact Purex or your representative

Interfacing



Interfacing can remotely start the Purex machine when the connected machine starts.

Interfacing can also warn the connected machine when the Purex machine is in alarm.

Take a look through our Interfacing Guide to see our extensive range of options



Purex International Limited QWP House, Island Drive Capitol Park, Thorne Doncaster, UK DN8 5UE